



www.g-rack.de



Price List G-Rack – version 15/05/2020

The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available upon request.

The high-quality polyamide connectors with integrated steel core are black similar to RAL 9005.

Prices are given ex works excluding VAT.

The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge polyamide connectors are black RAL9005. Prices are ex works and VAT.






Index

Basic Elements	3
Work Tops	5
Bar Tops	7
Side Applications.....	8
Brandings / Designs	10
Corner Parts	11
Doors	12
Utilities / Accessories	13
Transportation	17

*The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge
polyamide connectors are black RAL9005. Prices are ex works and VAT.*

Basic Elements



G-Flexx Basic Element

Sturdy and light weighted frame design made of powder coated, square aluminum tubes (30/30/2 mm). The G-Flexx folds down flat for easy storage or transport.

A patented connection system with a captive wing bolt, in frame positioning, allows a tool-free -fast replacement of all components, accessories and applications.

Adjustable thermoplastic legs and built in spirit level are supplied with each G-Flexx.

Dimensions: W x D x H = 1,200 x 600 x 1,100 mm;

Dimensions: W x D x H = 140 x 640 x 1,100 mm (folded flat).

Color: White, similar to RAL 9016

Item no. fx-bm-wh

EUR/unit

955.-

Color: Black, similar to RAL 9005

Item no. fx-bm-bk

EUR/unit


955.-

Color: Custom according to RAL

Item no. fx-bm-sp

EUR/unit

1,175.-



G-Flexx Basic Element Mini

Sturdy and light weighted frame design made of powder coated, square aluminum tubes (30/30/2 mm).

The G-Flexx folds down flat for easy storage or transport.

A patented connection system with a captive wing bolt, in frame positioning, allows a tool-free -fast replacement of all components, accessories and applications.

Adjustable thermoplastic legs and built in spirit level are supplied with each G-Flexx.

Dimensions: W x D x H = 600 x 600 x 1,100 mm;

Dimensions: W x D x H = 100 x 640 x 1,100 mm (folded flat).

Color: White, similar to RAL 9016

Item no. fx-bms-wh

EUR/unit

490.-

Color: Black, similar to RAL 9005

Item no. fx-bms-bk

EUR/unit


490.-

Color: Custom according to RAL

Item no. fx-bms-sp

EUR/unit

590.-



G-Raxx Basic Element

Sturdy and light weighted frame design made of powder coated, square aluminum tubes (30/30/2 mm).

A patented connection system with a captive wing bolt, in frame positioning, allows a tool-free -fast replacement of all components, accessories and applications.

Dimensions: W x D x H = 600 x 600 x 780 mm;

Color: White, similar to RAL 9016

Item no. rx-bm-wh

EUR/unit

330.-

Color: Black, similar to RAL 9005

Item no. rx-bm-bk

EUR/unit


330.-

Color: Custom according to RAL

Item no. rx-bm-sp

EUR/unit

410.-



G-Raxx Dolly Platform Base

Stainless steel platform Base with 2 rigid and 2 swivel casters.

Installation height from ground to Platform: 100 mm.

Color: Stainless steel; W x D = 540 x 540 mm;


Affixed to the G-Raxx with a clamp fitting.

Item no. rx-wb

EUR/unit

135.-


The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge
polyamide connectors are black RAL9005. Prices are ex works and VAT.



G-Raxx Base Element

For mounting under the basic module: aluminum tube, powder coated, with adjustable feet, height below the base module: 100 mm

Color: White, similar to RAL 9016	Item no. rx-be-wh	EUR/unit	60.-
Color: Black, similar to RAL 9005	Item no. rx-be-bk	EUR/unit	60.-
Color: Custom according to RAL	Item no. rx-be-sp	EUR/unit	70.-




G-Raxx Frame Adapter

Sturdy and light weighted frame design made of powder coated, square aluminum tubes (30/30/2 mm). The frame is easily screwed with in frame wing bolts into the G-Raxx frame inserted nuts.

This is a space saving option as between every 2 G-Raxx you can place the G-Raxx frame adapter to stretch the bar, without using a complete G-Raxx modul.


Color: White, similar to RAL 9016	Item no. xx-as-wh	EUR/unit	125.-
Color: Black, similar to RAL 9005	Item no. xx-as-bk	EUR/unit	125.-
Color: Custom according to RAL	Item no. xx-as-sp	EUR/unit	155.-



G-Raxx Front Frame 1-1

Sturdy and light weighted frame design made of powder coated, square aluminum tubes (30/30/2 mm). The Frame is easily fixed on a G-Raxx, using the stainless steel connection rails. This adapter gives you a Space saving solution, for the use of a 1800 mm long bar setup, in combination with a G-Flexx. All accessories can be used within this combination. Dimensions: W x D x H = 600 x 30 x 1,040 mm.

Color: White, similar to RAL 9016	Item no. rx-ff11-wh	EUR/unit	215.-
Color: Black, similar to RAL 9005	Item no. rx-ff11-bk	EUR/unit	215.-
Color: Custom according to RAL	Item no. rx-ff11-sp	EUR/unit	240.-



G-Raxx Front Frame 2-1

Sturdy and light weighted frame design made of powder coated, square aluminum tubes (30/30/2 mm). The frame is easily fixed on 2 G-Raxx, using the stainless steel connection rails.


All accessories can be used within this combination.

Dimensions: W x D x H = 1,200 x 30 x 1,040 mm.

Color: White, similar to RAL 9016	Item no. rx-ff21-wh	EUR/unit	370.-
Color: Black, similar to RAL 9005	Item no. rx-ff21-bk	EUR/unit	370.-
Color: Custom according to RAL	Item no. rx-ff21-sp	EUR/unit	400.-

The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge polyamide connectors are black RAL9005. Prices are ex works and VAT.

Work Tops



Work Top 1-1

Work top made of 10 mm high pressure laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your work top.


W x D x H = 1,200 x 600 x 10 mm.

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Wood/Color decor

Item no. xx-wt11-wh	EUR/unit	235.-
Item no. xx-wt11-bk	EUR/unit	235.-
Item no. xx-wt11-wd	(price on request)	



Work Top 1-5

Work top made of 10 mm high pressure laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your work top.

1 cut out/opening made to order.

Every further cutout EUR 45,-


W x D x H = 1,200 x 600 x 10 mm.

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Wood/Color decor

Item no. xx-wt15-wh	EUR/unit	280.-
Item no. xx-wt15-bk	EUR/unit	280.-
Item no. xx-wt15-wd	(price on request)	



Work Top 2-1

Work top made of 10 mm High Pressure Laminates (HPL) , including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your work top.


W x D x H = 600 x 600 x 10 mm.

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Wood/Color decor

Item no. xx-wt21-wh	EUR/unit	140.-
Item no. xx-wt21-bk	EUR/unit	140.-
Item no. xx-wt21-wd	(price on request)	



Work Top 2-2

Work top made of 10 mm high pressure laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your work top.

2 cut outs/openings 1/2 GN, 1 cut out/opening 2/4 GN.

W x D x H = 600 x 600 x 10 mm.


Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Wood/Color decor

Item no. xx-wt22-wh	EUR/unit	200.-
Item no. xx-wt22-bk	EUR/unit	200.-
Item no. xx-wt22-wd	(price on request)	

The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge
polyamide connectors are black RAL9005. Prices are ex works and VAT.




Work Top 2-3

Work top made of 10 mm high pressure laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your work top.

1 cut out/opening made to order.
 Every further cutout EUR 45,-
 W x D x H = 600 x 600 x 10 mm.
 Color: White, similar to RAL 9016
 Color: Black, similar to RAL 9005
 Color: Wood/Color decor

Item no. xx-wt23-wh	EUR/unit	185.-
Item no. xx-wt23-bk	EUR/unit	185.-
Item no. xx-wt23-wd	EUR/unit	(price on request)




Work Top 2-4

Work top made of 10 mm high pressure laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your work top.

1 cut out/opening 520 x 235 mm.
 W x D x H = 600 x 600 x 10 mm.
 Color: White, similar to RAL 9016
 Color: Black, similar to RAL 9005
 Color: Wood/Color decor

Item no. xx-wt24-wh	EUR/unit	190.-
Item no. xx-wt24-bk	EUR/unit	190.-
Item no. xx-wt24-wd	EUR/unit	(price on request)




Work Top 2-5

Work top made of 10 mm high pressure laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your work top.

1 cut out/opening 520 x 325 mm.
 W x D x H = 600 x 600 x 10 mm.
 Color: White, similar to RAL 9016
 Color: Black, similar to RAL 9005
 Color: Wood/Color decor

Item no. xx-wt25-wh	EUR/unit	190.-
Item no. xx-wt25-bk	EUR/unit	190.-
Item no. xx-wt25-wd	EUR/unit	(price on request)




G-Raxx/G-Flexx HPL Ledges 2-9

Ledges made of 10 mm high pressure laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your Ledges.

W x D x H = 600 x 30 x 10 mm.
 Color: White, similar to RAL 9016
 Color: Black, similar to RAL 9005
 Color: Wood/Color decor

Item no. xx-wt00-wh	EUR/pair	60.-
Item no. xx-wt00-bk	EUR/pair	60.-
Item no. xx-wt00-wd	EUR/pair	(price on request)




Work Top Adapter for G-Raxx

The Adapter is made of stainless steel and is fitted between 2 G-Raxx.
 The Adapter is fitted underneath both facing work tops. The 600 mm work top is fitted on top of the adapters, and is secured with the wings bolts, without the use of a G-Raxx underneath. The bar top is stretched from 1,200 to 1,800 mm.
 2 Adapters are supplied.

Item no. xx-tc	EUR/unit	45.-
-----------------------	-----------------	-------------

The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge
 polyamide connectors are black RAL9005. Prices are ex works and VAT.

Bar Tops



Bar Top 6

Bar top for double sided applications made of powder coated aluminum, including inserted nuts.

Simply connect the wing on your G-Flexx with the inserted nuts in your bar top.

Aluminum channel for keder stripe insert included.

For G-Raxx only with front frame (item. No. rx-ff...) use.


W x D x H = 600 x 235 x 85 mm.

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Custom according to RAL

Item no. xx-ctsa1-wh	EUR/unit	240.-
Item no. xx-ctsa1-bk	EUR/unit	240.-
Item no. xx-ctsa1-sp	EUR/unit	260.-



Bar Top 7

Bar top for double sided applications made of powder coated aluminum, including inserted nuts.

Simply connect the wing bolts on your G-Flexx with the inserted nuts in your bar top.

Aluminum channel for keder stripe insert included.

For G-Raxx only with front frame (item. No. rx-ff...) use.


W x D x H = 1,200 x 235 x 85 mm.

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Custom according to RAL

Item no. xx-ctsa2-wh	EUR/unit	280.-
Item no. xx-ctsa2-bk	EUR/unit	280.-
Item no. xx-ctsa2-sp	EUR/unit	300.-



Bar Top 8

Bar top for double sided applications made of powder coated aluminum, including inserted nuts.

Simply connect the wing bolts on your G-Flexx with the inserted nuts in your bar top.

Aluminum channel for keder stripe insert included.

For G-Raxx only with front frame (item. No. rx-ff...) use.

W x D x H = 1,800 x 235 x 85 mm.

Color: White, similar to RAL 9016


Color: Black, similar to RAL 9005

Color: Custom according to RAL

Item no. xx-ctsa3-wh	EUR/unit	440.-
Item no. xx-ctsa3-bk	EUR/unit	440.-
Item no. xx-ctsa3-sp	EUR/unit	490.-

The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge
polyamide connectors are black RAL9005. Prices are ex works and VAT.

Side Applications




Side Application 1

Cornered side application straight finish made of powder coated aluminum, including inserted nuts. Simply connect the wing bolts on your G-Flexx or front frame (item no. rx-ff...) with the inserted nuts on your side applications.

Bar top (item no. xx-ctsa...) necessary.

D x H = 240 x 1,150 mm.

Color: White, similar to RAL 9016	left	Item no. xx-sfa1l-wh	EUR/unit	315.-
	right	Item no. xx-sfa1r-wh	EUR/unit	315.-
Color: Black, similar to RAL 9005	left	Item no. xx-sfa1l-bk	EUR/unit	315.-
	right	Item no. xx-sfa1r-bk	EUR/unit	315.-
Color: Custom according to RAL	left	Item no. xx-sfa1l-sp	EUR/unit	355.-
	right	Item no. xx-sfa1r-sp	EUR/unit	355.-




Side Application 2

Cornered side application tapered finish made of powder coated aluminum, including inserted nuts. Simply connect the wing bolts on your G-Flexx or front frame (item no. rx-ff...) with the inserted nuts on your side applications.

Bar top (item no. xx-ctsa...) necessary.

D x H = 240 x 1,150 mm.

Color: White, similar to RAL 9016	left	Item no. xx-sfa2l-wh	EUR/unit	330.-
	right	Item no. xx-sfa2r-wh	EUR/unit	330.-
Color: Black, similar to RAL 9005	left	Item no. xx-sfa2l-bk	EUR/unit	330.-
	right	Item no. xx-sfa2r-bk	EUR/unit	330.-
Color: Custom according to RAL	left	Item no. xx-sfa2l-sp	EUR/unit	370.-
	right	Item no. xx-sfa2r-sp	EUR/unit	370.-



Side Application 3


Curved Side Application tapered finish made of powder coated aluminum, including inserted nuts. Simply connect the wing bolts on your G-Flexx or front frame (item no. rx-ff...) with the inserted nuts on your side applications.

Bar top (item no. xx-ctsa...) necessary.

D x H = 240 x 1,150 mm.

Color: White, similar to RAL 9016	left	Item no. xx-sfa3l-wh	EUR/unit	350.-
	right	Item no. xx-sfa3r-wh	EUR/unit	350.-
Color: Black, similar to RAL 9005	left	Item no. xx-sfa3l-bk	EUR/unit	350.-
	right	Item no. xx-sfa3r-bk	EUR/unit	350.-
Color: Custom according to RAL	left	Item no. xx-sfa3l-sp	EUR/unit	390.-
	right	Item no. xx-sfa3r-sp	EUR/unit	390.-

The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge
polyamide connectors are black RAL9005. Prices are ex works and VAT.



Side Application 4

Side application cap made of powder coated aluminum, for item no. xx-ctsa... bar top as a design option. Simply connect the wing bolts on your G-Flexx or front frame (item no. rx-ff...) with the inserted nuts on your side applications. Bar top (item no. xx-ctsa...) necessary.


D x H = 240 x 90 mm.

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Custom according to RAL

Item no. xx-sfa4-wh	EUR/unit	110.-
Item no. xx-sfa4-bk	EUR/unit	110.-
Item no. xx-sfa4-sp	EUR/unit	130.-



Side Application 5

Side application stripe made of powder coated aluminum. Simply connect the wing bolts on your G-Flexx or front frame (item no. rx-ff...) with the inserted nuts on your side applications.

H x W x D = 1,040 x 50 x 20 mm

Color: White, similar to RAL 9016


Color: Black, similar to RAL 9005

Color: Custom according to RAL

Item no. xx-sfa5-wh	EUR/unit	60.-
Item no. xx-sfa5-bk	EUR/unit	60.-
Item no. xx-sfa5-sp	EUR/unit	75.-

The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge polyamide connectors are black RAL9005. Prices are ex works and VAT.

Brandings / Designs



Front Banner

Front Banner made of PVC.

The keder strip on the top edge of the banner slides into the standard aluminum channel which is attached to your Bar top or the Banner Display header. An additional weight is placed simply into the hemstitch.

including felt bag.

Custom color or individual branding by digital imprint possible.

Color: imprinted digitally.

W x H = 1,200 x 860 mm

W x H = 1,800 x 860 mm

Item no. **xx-fb-1200**

EUR/unit

205.-

Item no. **xx-fb-1800**

EUR/unit

255.-




Plate to mount underneath the Bar Top

Made of 10 mm Kömacell.

The keder strip on the top edge slides into the standard aluminum channel which is attached to your Bar top. Individual branding by digital imprint.

W x H = 600 x 860 mm

W x H = 600 x 1035 mm

W x H = 1,200 x 400 mm

Item no. **xx-s1-860-dg** EUR/unit


290.-

Item no. **xx-s1-1035-dg** EUR/unit

315.-

Item no. **xx-s1-400-dg** EUR/unit

290.-



Side Panels/Front Panels

Side panels/front panels made of powder coated aluminum.

The panel covers a complete side of a G-Raxx or G-Flexx, for the G-Flexx front 2 units are required.

Dimensions: W x H = 600 x 860 mm.

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Custom according to RAL

Color: Sheeting cover with digital imprint

Color: Plot sheet

Item no. **xx-sc-wh**

EUR/unit

110.-

Item no. **xx-sc-bk**

EUR/unit

110.-

Item no. **xx-sc-sp**

EUR/unit

130.-

Item no. **xx-sc-dg**

EUR/unit


180.-

Item no. **xx-sc-plt**

EUR/unit

180.-

The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge
polyamide connectors are black RAL9005. Prices are ex works and VAT.



Corner Parts

Corner Set

Set to build a 90° corner set-up, for G-Flexx and G-Raxx.

Consisting of:

- **Vertical corner rail**
made of powder coated aluminum, vertical corner connection to connect baseframes
W x D x H = 85 x 85 x 1070 mm
- **Corner cap**
cap made of powder coated aluminum,
Corner connection with integrated wing screws to connect 2 bartops
W x D x H = 253 x 253 x 92 mm
- **Corner worktop**
Work top made of 10 mm high pressure laminates (HPL)
W x D x H = 650 x 650 x 10 mm
- **Adapter tubes corner worktop**
Aluminium tubes, powder coated, is fitted underneath the corner worktop

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Custom according to RAL

Item no. **xx-cs-wh**

Item no. **xx-cs-bk**

Item no. **xx-cs-sp**

EUR/unit

EUR/unit

EUR/unit


580.-

580.-

640.-

*The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge
polyamide connectors are black RAL9005. Prices are ex works and VAT.*

Doors



Door with hinges and lock

For G-Flexx and G-Raxx, made of powder coated aluminum

Door connects to the baseframe


W x H = 597 x 824 mm

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Custom according to RAL

Item no. xx-hd-wh	EUR/unit	240.-
Item no. xx-hd-bk	EUR/unit	240.-
Item no. xx-hd-sp	EUR/unit	285.-



Sliding door set G-Raxx

For G-Raxx baseframes

Sliding door set consist of upper and lower rail and 2 sliding doors made of aluminum, powder coated. Set is connected to 2 G-Raxx baseframes and covers storage space up to 1200 mm wide.


Doors can be locked with sliding door lock Item no. xx-sdl

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Custom according to RAL

Item no. rx-sd-wh	EUR/unit	495.-
Item no. rx-sd-bk	EUR/unit	495.-
Item no. rx-sd-sp	EUR/unit	540.-



Sliding door set G-Flexx

For G-Flexx baseframes

Sliding door set consist of upper and lower rail and 2 sliding doors made of aluminum, powder coated. Set is connected to 1 G-Flexx baseframe and covers storage space up to 1200 mm wide.

Doors can be locked with sliding door lock Item no. xx-sdl

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Custom according to RAL

Item no. fx-sd-wh	EUR/unit	495.-
Item no. fx-sd-bk	EUR/unit	495.-
Item no. fx-sd-sp	EUR/unit	540.-




Sliding door lock

Locks sliding door sets G-Raxx and G-Flexx (Item-no. fx-sd- and rx-sd-)

Item no. xx-sdl	EUR/unit	37.-
------------------------	-----------------	-------------

The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge
polyamide connectors are black RAL9005. Prices are ex works and VAT.


Utilities / Accessories



Bottle Display 1

Two Stairs bottle display in 1 mm stainless steel, to be used with our shelf rails or universal rails. Color: Silver; W x D x H = 535 x 269 x 95 mm.

Item no. **xx-zb1** EUR/unit **110.-**



Quiver Board

The board is placed in the G-Flexx adapter or in the front frame adapters. Quivers are sold separate.

Ø 91 mm. Color: Silver; W x D x H = 533 x 115 x 93 mm.

Item no. **xx-zb4** EUR/unit **35.-**



Quiver

Round quiver made of stainless steel. The quiver can hold different supplies. Ø100 mm. Color: Silver; DB x DT x H = 120 x 85 x 135 mm


Item no. **xx-zb4.1** EUR/unit **8,70**



hook in tray, small

stainless steel, with 1 bar mat 300x150. The tray is mounted to the quiverboard providing a additional storage shelf between Bar top and work top.

Item no. **xx-zb24** EUR/unit **39,-**



hook in tray, large

stainless steel, with 2 bar mats 300x150. The tray is mounted to the front frame of G-Flexx or G-Raxx. The tray is providing a additional storage shelf between Bar top and work top.

Item no. **xx-zb25** EUR/unit **55,-**




Bar Top Tray

stainless steel, with 1 bar mat 300x150. The tray is mounted to a G-Rack bar top by a clamp but also can be used on regular bar tops of different dimensions to enlarge the bar top. The tray is providing a additional workshelf in good sight of the customer and in an advantageous ergonomic position.

Item no. **xx-zb26** EUR/unit **142,50**


The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge polyamide connectors are black RAL9005. Prices are ex works and VAT.



Bar Top Extension

Made of powder coated aluminum with a stainless steel driplate.
600 x 100 mm, bar top extension can be fixed to the bartop.


Item no. xx-zb31 **EUR/unit** **195,-**



Extender tray

Made of powder coated aluminum, with 2 bar mats.
The tray is mounted to the G-Raxx base frame to create additional storage areas.

Color: White, similar to RAL 9016	Item no. xx-zb27-wh	EUR/unit	50.-
Color: Black, similar to RAL 9005	Item no. xx-zb27-bk	EUR/unit	50.-
Color: Custom according to RAL	Item no. xx-zb27-sp	EUR/unit	65.-



Rack Slide Drawer

The drawer is made of stainless steel. The drawer rails are placed in the patented milling groove of G-Raxx, G-Flexx and the adapter sides for G-Raxx.

Full extension rack slide drawer, bearing load: 25 kg.
Color: Silver


Item no. xx-zb5 **EUR/unit** **195.-**



Separation pad for rack slide drawer

To divide the drawer no. xx-zb5 to accommodate different GN containers.
Material: Stainless steel.

Item no. xx-zb6.1 **EUR/unit** **15.-**




Stainless steel Corner Rails

The corner rails are placed in the patented milling groove of G-Raxx, G-Flexx and the adapter sides for G-Raxx.

Can be used in combination with a shelf, bottle shelf, and glassware basket.
1 pair, color: Silver; bearing load: 40 kg.


Item no. xx-zb7 **EUR/pair** **22.-**



Shelves

Shelf made of stainless steel with 2 down trimmed cornered edges on 2 sides.
Can be used in a rack slide drawer (item no. xx-zb5) or on corner rails (item no. xx-zb7).


Item no. xx-zb8 **EUR/unit** **30.-**



Shelves Set

Shelves set consisting of Corner rails (item no. xx-zb7) and shelves (item no. xx-zb8)

Item no. xx-zb7.8 **EUR/unit** **50.-**



Speedrack 1

Speedrack made of stainless steel and holds 5-9 Bottles (depending on the Bottle diameter).
Can be hooked to the base frame, frontally or laterally.
Color: Silver; W x D x H = 550 x 120 x 170 mm.

Item no. xx-zb10 **EUR/unit** **80.-**

The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge
polyamide connectors are black RAL9005. Prices are ex works and VAT.



Cutting Board 1/2 GN

PE black, 1/2 Gastro norm size cutting board.
The cutting board is inserted into the 1/2 GN work top cut outs.


Item no. xx-zb11 EUR/unit 18.-



Cutting Board 1/2 GN

PE black, 1/2 Gastro norm size cutting board, with hole; 8 cm diameter.
The cutting board is inserted into the 1/2 GN openings in the work top or in the 1/2 GN container.


Item no. xx-zb11.1 EUR/unit 30.-



Ice Box

EPP made Box.
Approx. 480 x 480 x 280 mm outer dimensions.

Item no. xx-zb14 EUR/unit 76.-



Ice Box with Sliding Top Set

Consisting of Ice Box (xx-zb14) and
- Divider sheet for ice, stainless steel, 1 pcs.
- Perforated dripping plate, stainless steel, 2 pcs.
- Stainless steel rails, 4 pcs.
- Sliding plates, acrylic glass with finger hole, 2 pcs.

Item no. xx-zb14.2 EUR/set 199.-



Gastro Norm Sink 1/2 GN

1/2 GN sink; for insertion into the work top inserts.
Stainless steel; W x D = 325 x 265 mm.
With drainage and pillar tube.


Item no. xx-zb16 EUR/unit 120.-



Blender Flusher 1/2 GN flat version

1/2 GN-Stainless Steel Spray Flusher with poly disk.
Set includes drain board and water connection fitting.
Flat version (housing) only 28 mm.
Stainless steel; W x D = 325 x 265 mm.

Item no. xx-zb16.1 EUR/unit 165.-



Drip Pan 1/2 GN flat version

1/2 GN-Stainless Steel Drain board. Set includes drain board rinse access.
Flat version (housing) only 28 mm.
Stainless steel; W x D = 325 x 265 mm.

Item no. xx-zb16.2 EUR/unit 135.-




Bar Counter Tap

Water tap, for connection to the insert blender flusher.


Item no. xx-zb17 EUR/unit 80.-

The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge
polyamide connectors are black RAL9005. Prices are ex works and VAT.



1/2 GN insert blender flusher

Item no. xx-zb18.1 EUR/unit 95,-



Water Station Full Set

Consisting of:

- Water pump, tap, water containers, hose set
- Gastro Norm Sink ½ GN (xx-zb16)

When using the set in combination with the G-Flexx, we recommend the use of the eurobox with dolly (xx-zb32).

When using the set in combination with the G-Raxx, we recommend the use of the dolly platform base (rx-wb).

Item no. xx-zbws1-set EUR/set 860,-



Eurobox with dolly

With 4 swivel castors, Eurobox 600 x 400 mm

Item no. xx-zb32 EUR/unit 96,-




Work top light

Is mounted underneath the bartop and illuminates the worktop.

LED warmwhite 230V, 280 mm

Item no. xx-zb33 EUR/unit 85,-



LED Light Bar

Warm white, not dimmable.

Mounted under the bar top.

This lamp is lit on the front.

W = 335 mm

W = 900 mm

Item no. xx-zb23-600 EUR/unit 135,-

Item no. xx-zb23-900 EUR/unit 160,-



LED-RGB Light Bar

Mounted under the 600mm bar top, to light the front.

Includes power supply, controller and remote control.

W = 600 mm

W = 1,200 mm

W = 1,800 mm

Item no. xx-zb30-600 EUR/unit 220,-

Item no. xx-zb30-1200 EUR/unit 260,-

Item no. xx-zb30-1800 EUR/unit 310,-

The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge
polyamide connectors are black RAL9005. Prices are ex works and VAT.

Transportation

Bag A

Bag for G-Flexx Basic Module without middle frame.

Item no. xx-bga **EUR/unit** **95.-**

Bag C

Bag for shelves, rack slide drawer, working top 600/600/10 mm.

Item no. xx-bgc **EUR/unit** **95.-**

Bag FA

Bag for Side applications, bar top 1200 mm, head shield 1200 mm.

Item no. xx-bgfa **EUR/unit** **30.-**

Bag FB

Bag for Side-/Front panels 860 x 600 mm.

Item no. xx-bgfb **EUR/unit** **30.-**

Bag FBL

Bag for 2x Side-/Frontpanels long version, front plate.

Item no. xx-bgfb1 **EUR/unit** **38.-**

Bag FD

Bag with 2 compartments for 2x Side Application 4, Corner cap, Backframe shelf 2, bottle shelf, frame elevated bottle shelf, Bar Top Tray, Bar Top Extension, Frame cover.

Item no. xx-bgfd **EUR/unit** **38.-**

Bag FE

Bag with 2 compartments for 2x Side application 4, Corner cap, backframe shelf 2, bottle shelf, frame elevated bottle shelf, Bar Top Tray, Bar Top Extension, frame cover.

Item no. xx-bgfe **EUR/unit** **38.-**

Bag BFSA

Bag with 2 compartments for 2x Backframe applications.

Item no. xx-bgbfsa **EUR/unit** **38.-**

Bag BFC

Bag with 2 compartments for 2x Backframes with cover.

Item no. xx-bgbfc **EUR/unit** **160.-**

The standard color for G-Flexx and G-Raxx base frames is white, similar to RAL 9016; custom RAL colors are available at extra charge polyamide connectors are black RAL9005. Prices are ex works and VAT.