



www.g-rack.de

Price List G-Rack – version March 2022

The standard color for G-Flexx and G-Raxx basic elements is white, RAL 9016 and black, RAL 9005.

The high-quality polyamide connectors with integrated steel core are black, RAL 9005. Prices are given ex works excluding VAT.


*The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.
Polyamide connectors are black RAL9005. Prices are ex works and VAT.*

Index

Basic Elements	3
Work Tops	5
Bar Tops	7
Side Applications.....	8
Brandings / Designs	10
Corner Parts.....	12
Doors	13
Utilities / Accessories	14
Transportation	21

*The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.
Polyamide connectors are black RAL9005. Prices are ex works and VAT.*

Basic Elements



G-Flexx Basic Element

Sturdy and light weighted frame design made of powder coated, square aluminum tubes (30/30/2 mm). The G-Flexx folds down flat for easy storage or transport.

A patented connection system with a captive wing bolt, in frame positioning, allows a tool-free - fast replacement of all components, accessories and applications.

Adjustable thermoplastic legs and built in spirit level are supplied with each G-Flexx.

Dimensions: W x D x H = 1,200 x 600 x 1,100 mm;

Dimensions: W x D x H = 140 x 640 x 1,100 mm (folded flat).

Color: White, RAL 9016


Color: Black, RAL 9005

Item no. fx-bm-wh

Item no. fx-bm-bk

EUR/unit 1,035.-

EUR/unit 1,035.-



G-Flexx Basic Element Mini

Sturdy and light weighted frame design made of powder coated, square aluminum tubes (30/30/2 mm).

The G-Flexx folds down flat for easy storage or transport.

A patented connection system with a captive wing bolt, in frame positioning, allows a tool-free - fast replacement of all components, accessories and applications.

Adjustable thermoplastic legs and built in spirit level are supplied with each G-Flexx.

Dimensions: W x D x H = 600 x 600 x 1,100 mm;

Dimensions: W x D x H = 100 x 640 x 1,100 mm (folded flat).

Color: White, RAL 9016


Color: Black, RAL 9005

Item no. fx-bms-wh

Item no. fx-bms-bk

EUR/unit 520.-

EUR/unit 520.-



G-Raxx Basic Element

Sturdy and light weighted frame design made of powder coated, square aluminum tubes (30/30/2 mm).

A patented connection system with a captive wing bolt, in frame positioning, allows a tool-free - fast replacement of all components, accessories and applications.

Dimensions: W x D x H = 600 x 600 x 780 mm;

Color: White, RAL 9016


Color: Black, RAL 9005

Item no. rx-bm-wh

Item no. rx-bm-bk

EUR/unit 345.-

EUR/unit 345.-



G-Raxx Dolly Platform Base

Stainless steel platform Base with 2 rigid and 2 swivel casters.

Installation height from ground to Platform: 100 mm.

Color: Stainless steel; W x D = 540 x 540 mm;

Affixed to the G-Raxx with a clamp fitting.


Item no. rx-wb

EUR/unit

155.-

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.

Polyamide connectors are black RAL9005. Prices are ex works and VAT.




G-Raxx Base Element

For mounting under the basic module: aluminum tube, powder coated, with adjustable feet, height below the base module: 100 mm

Color: White, RAL 9016
Color: Black, RAL 9005

Item no. rx-be-wh	EUR/unit	70.-
Item no. rx-be-bk	EUR/unit	70.-




G-Raxx Frame Adapter

Sturdy and light weighted frame design made of powder coated, square aluminum tubes (30/30/2 mm). The frame is easily screwed with in frame wing bolts into the G-Raxx frame inserted nuts. This is a space saving option as between every 2 G-Raxx you can place the G-Raxx frame adapter to stretch the bar, without using a complete G-Raxx modul.

Color: White, RAL 9016
Color: Black, RAL 9005

Item no. xx-as-wh	EUR/unit	130.-
Item no. xx-as-bk	EUR/unit	130.-




G-Raxx Front Frame 1-1

Sturdy and light weighted frame design made of powder coated, square aluminum tubes (30/30/2 mm). The Frame is easily fixed on a G-Raxx, using the stainless steel connection rails. This adapter gives you a Space saving solution, for the use of a 1800 mm long bar setup, in combination with a G-Flexx. All accessories can be used within this combination.

Dimensions: W x D x H = 600 x 30 x 1,040 mm.

Color: White, RAL 9016
Color: Black, RAL 9005

Item no. rx-ff11-wh	EUR/unit	230.-
Item no. rx-ff11-bk	EUR/unit	230.-



G-Raxx Front Frame 2-1

Sturdy and light weighted frame design made of powder coated, square aluminum tubes (30/30/2 mm). The frame is easily fixed on 2 G-Raxx, using the stainless steel connection rails. All accessories can be used within this combination.


Dimensions: W x D x H = 1,200 x 30 x 1,040 mm.

Color: White, RAL 9016
Color: Black, RAL 9005

Item no. rx-ff21-wh	EUR/unit	425.-
Item no. rx-ff21-bk	EUR/unit	425.-

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005. Polyamide connectors are black RAL9005. Prices are ex works and VAT.

Work Tops



Work Top 1-1

Work top made of 10 mm high pressure laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your work top.

W x D x H = 1,200 x 600 x 10 mm.

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Wood/Color decor

Item no. xx-wt11-wh


EUR/unit 250.-

Item no. xx-wt11-bk

EUR/unit 250.-

Item no. xx-wt11-wd

(price on request)



Work Top 1-5

Work top made of 10 mm high pressure laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your work top. 1 cut out/opening made to order.

Every further cutout EUR 45,-

W x D x H = 1,200 x 600 x 10 mm.

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Wood/Color decor

Item no. xx-wt15-wh


EUR/unit 310.-

Item no. xx-wt15-bk

EUR/unit 310.-

Item no. xx-wt15-wd

(price on request)



Work Top 2-1

Work top made of 10 mm High Pressure Laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your work top.

W x D x H = 600 x 600 x 10 mm.

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Wood/Color decor

Item no. xx-wt21-wh


EUR/unit 155.-

Item no. xx-wt21-bk

EUR/unit 155.-

Item no. xx-wt21-wd

(price on request)



Work Top 2-2

Work top made of 10 mm high pressure laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your work top. 2 cut outs/openings 1/2 GN, 1 cut out/opening 2/4 GN.

W x D x H = 600 x 600 x 10 mm.

Color: White, similar to RAL 9016

Color: Black, similar to RAL 9005

Color: Wood/Color decor

Item no. xx-wt22-wh

EUR/unit 220.-

Item no. xx-wt22-bk


EUR/unit 220.-

Item no. xx-wt22-wd

(price on request)

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.


Polyamide connectors are black RAL9005. Prices are ex works and VAT.



Work Top 2-3

Work top made of 10 mm high pressure laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your work top. 1 cut out/opening made to order. Every further cutout EUR 45,-
 W x D x H = 600 x 600 x 10 mm.
 Color: White, similar to RAL 9016
 Color: Black, similar to RAL 9005
 Color: Wood/Color decor


Item no. xx-wt23-wh	EUR/unit	240.-
Item no. xx-wt23-bk	EUR/unit	240.-
Item no. xx-wt23-wd	(price on request)	



Work Top 2-4

Work top made of 10 mm high pressure laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your work top. 1 cut out/opening 520 x 235 mm.
 W x D x H = 600 x 600 x 10 mm.
 Color: White, similar to RAL 9016
 Color: Black, similar to RAL 9005
 Color: Wood/Color decor


Item no. xx-wt24-wh	EUR/unit	190.-
Item no. xx-wt24-bk	EUR/unit	190.-
Item no. xx-wt24-wd	(price on request)	



Work Top 2-5

Work top made of 10 mm high pressure laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your work top. 1 cut out/opening 520 x 325 mm.
 W x D x H = 600 x 600 x 10 mm.
 Color: White, similar to RAL 9016
 Color: Black, similar to RAL 9005
 Color: Wood/Color decor


Item no. xx-wt25-wh	EUR/unit	190.-
Item no. xx-wt25-bk	EUR/unit	190.-
Item no. xx-wt25-wd	(price on request)	



G-Raxx/G-Flexx HPL Ledges 2-9

Ledges made of 10 mm high pressure laminates (HPL), including inserted stainless steel nuts. Simply connect the wing bolts on your G-Flexx or G-Raxx, with the inserted nuts in your Ledges. W x D x H = 600 x 30 x 10 mm.
 Color: White, similar to RAL 9016
 Color: Black, similar to RAL 9005
 Color: Wood/Color decor

Item no. xx-wt00-wh	EUR/pair	75.-
Item no. xx-wt00-bk	EUR/pair	75.-
Item no. xx-wt00-wd	(price on request)	




Work Top Adapter for G-Raxx

The Adapter is made of stainless steel and is fitted between 2 G-Raxx. The Adapter is fitted underneath both facing work tops. The 600 mm work top is fitted on top of the adapters, and is secured with the wings bolts, without the use of a G-Raxx underneath. The bar top is stretched from 1,200 to 1,800 mm. 2 Adapters are supplied.

Item no. xx-tc	EUR/unit	55.-
-----------------------	-----------------	-------------

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005. Polyamide connectors are black RAL9005. Prices are ex works and VAT.

Bar Tops



Bar Top 6

Bar top for double sided applications made of powder coated aluminum, including inserted nuts. Simply connect the wing on your G-Flexx with the inserted nuts in your bar top.

Aluminum channel for keder stripe insert included.

For G-Raxx only with front frame (item. No. rx-ff...) use.

W x D x H = 600 x 235 x 85 mm.

Color: White, RAL 9016


Color: Black, RAL 9005

Color: Custom according to RAL Classic

Item no. xx-ctsa1-wh EUR/unit 265.-

Item no. xx-ctsa1-bk EUR/unit 265.-

Item no. xx-ctsa1-sp EUR/unit 300.-



Bar Top 7

Bar top for double sided applications made of powder coated aluminum, including inserted nuts.

Simply connect the wing bolts on your G-Flexx with the inserted nuts in your bar top.

Aluminum channel for keder stripe insert included.

For G-Raxx only with front frame (item. No. rx-ff...) use.

W x D x H = 1,200 x 235 x 85 mm.

Color: White, RAL 9016


Color: Black, RAL 9005

Color: Custom according to RAL Classic

Item no. xx-ctsa2-wh EUR/unit 330.-

Item no. xx-ctsa2-bk EUR/unit 330.-

Item no. xx-ctsa2-sp EUR/unit 365.-



Bar Top 8

Bar top for double sided applications made of powder coated aluminum, including inserted nuts.

Simply connect the wing bolts on your G-Flexx with the inserted nuts in your bar top.

Aluminum channel for keder stripe insert included.

For G-Raxx only with front frame (item. No. rx-ff...) use.

W x D x H = 1,800 x 235 x 85 mm.

Color: White, RAL 9016

Color: Black, RAL 9005

Color: Custom according to RAL Classic

Item no. xx-ctsa3-wh EUR/unit 515.-


Item no. xx-ctsa3-bk EUR/unit 515.-

Item no. xx-ctsa3-sp EUR/unit 550.-

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.

Polyamide connectors are black RAL9005. Prices are ex works and VAT.

Side Applications



Side Application 1

Cornered side application straight finish made of powder coated aluminum, including inserted nuts. Simply connect the wing bolts on your G-Flexx or front frame (item no. rx-ff...) with the inserted nuts on your side applications.

Bar top (item no. xx-ctsa...) necessary.


D x H = 240 x 1,150 mm.

Color: White, RAL 9016

left	Item no. xx-sfa1l-wh	EUR/unit	390.-
right	Item no. xx-sfa1r-wh	EUR/unit	390.-
left	Item no. xx-sfa1l-bk	EUR/unit	390.-
right	Item no. xx-sfa1r-bk	EUR/unit	390.-
left	Item no. xx-sfa1l-sp	EUR/unit	405.-
right	Item no. xx-sfa1r-sp	EUR/unit	405.-

Color: Black, RAL 9005

Color: Custom according to RAL Classic



Side Application 2

Cornered side application tapered finish made of powder coated aluminum, including inserted nuts. Simply connect the wing bolts on your G-Flexx or front frame (item no. rx-ff...) with the inserted nuts on your side applications.

Bar top (item no. xx-ctsa...) necessary.


D x H = 240 x 1,150 mm.

Color: White, RAL 9016

left	Item no. xx-sfa2l-wh	EUR/unit	395.-
right	Item no. xx-sfa2r-wh	EUR/unit	395.-
left	Item no. xx-sfa2l-bk	EUR/unit	395.-
right	Item no. xx-sfa2r-bk	EUR/unit	395.-
left	Item no. xx-sfa2l-sp	EUR/unit	410.-
right	Item no. xx-sfa2r-sp	EUR/unit	410.-

Color: Black, RAL 9005

Color: Custom according to RAL Classic



Side Application 3

Curved Side Application tapered finish made of powder coated aluminum, including inserted nuts. Simply connect the wing bolts on your G-Flexx or front frame (item no. rx-ff...) with the inserted nuts on your side applications.

Bar top (item no. xx-ctsa...) necessary.

D x H = 240 x 1,150 mm.

Color: White, RAL 9016


left	Item no. xx-sfa3l-wh	EUR/unit	405.-
right	Item no. xx-sfa3r-wh	EUR/unit	405.-
left	Item no. xx-sfa3l-bk	EUR/unit	405.-
right	Item no. xx-sfa3r-bk	EUR/unit	405.-
left	Item no. xx-sfa3l-sp	EUR/unit	425.-
right	Item no. xx-sfa3r-sp	EUR/unit	425.-

Color: Black, RAL 9005

Color: Custom according to RAL Classic

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.

Polyamide connectors are black RAL9005. Prices are ex works and VAT.



Side Application 4

Side application cap made of powder coated aluminum, for item no. xx-ctsa... bar top as a design option. Simply connect the wing bolts on your G-Flexx or front frame (item no. rx-ff...) with the inserted nuts on your side applications. Bar top (item no. xx-ctsa...) necessary.

D x H = 240 x 90 mm.

Color: White, RAL 9016

Color: Black, RAL 9005

Color: Custom according to RAL Classic

Item no. xx-sfa4-wh

EUR/unit

130.-

Item no. xx-sfa4-bk


EUR/unit

130.-

Item no. xx-sfa4-sp

EUR/unit

155.-



Side Application 5

Side application stripe made of powder coated aluminum. Simply connect the wing bolts on your G-Flexx or front frame (item no. rx-ff...) with the inserted nuts on your side applications.

H x W x D = 1,040 x 50 x 20 mm

Color: White, RAL 9016

Color: Black, RAL 9005

Color: Custom according to RAL Classic

Item no. xx-sfa5-wh

EUR/unit

70.-

Item no. xx-sfa5-bk

EUR/unit

70.-

Item no. xx-sfa5-sp


EUR/unit

85.-

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.

Polyamide connectors are black RAL9005. Prices are ex works and VAT.

Brandings / Designs



Front Banner

Front Banner made of PVC.

The keder strip on the top edge of the banner slides into the standard aluminum channel which is attached to your Bar top or the Banner Display header. An additional weight is placed simply into the hemstitch.

including felt bag.

Custom color or individual branding by digital imprint possible.

Color: imprinted digitally.

W x H = 1,200 x 860 mm

W x H = 1,200 x 1,040 mm

Item no. **xx-fb-1200-1**

EUR/unit

205.-

Item no. **xx-fb-1200-2**

EUR/unit

245.-




Plate to mount underneath the Bar Top

Made of 10 mm Kömacell.

The keder strip on the top edge slides into the standard aluminum channel which is attached to your Bar top. Individual branding by digital imprint.

W x H = 600 x 860 mm, white,
similar to RAL 9016

Item no. **xx-s1-860-wh**

EUR/unit

290.-

W x H = 600 x 860 mm, black,
similar to RAL 9005

Item no. **xx-s1-860-bk**

EUR/unit

290.-

W x H = 600 x 1035 mm, white,
similar to RAL 9016

Item no. **xx-s1-1035-wh**

EUR/unit

315.-

W x H = 600 x 1035 mm, black,
similar to RAL 9005

Item no. **xx-s1-1035-bk**

EUR/unit

315.-

W x H = 1200 x 400 mm, white,
similar to RAL 9016

Item no. **xx-s2-400-wh**

EUR/unit

290.-

W x H = 1200 x 400 mm, black,
similar to RAL 9005

Item no. **xx-s2-400-bk**

EUR/unit

290.-

W x H = 1200 x 1035 mm, white,
similar to RAL 9016

Item no. **xx-s2-1035-wh**

EUR/unit

410.-

W x H = 1200 x 1035 mm, black,
similar to RAL 9005

Item no. **xx-s2-1035-bk**

EUR/unit

410.-

Side Panels/Front Panels

Side panels/front panels made of powder coated aluminum.

The panel covers a complete side of a G-Raxx or G-Flexx, for the G-Flexx front 2 units are required.

Dimensions: W x H = 600 x 860 mm.

Color: White, RAL 9016

Color: Black, RAL 9005

Color: Custom according to RAL Classic

Color: Sheeting cover with digital imprint

Color: Plot sheet

Item no. **xx-sc-wh**

EUR/unit

150.-

Item no. **xx-sc-bk**

EUR/unit

150.-

Item no. **xx-sc-sp**

EUR/unit

165.-

Item no. **xx-sc-dg**


EUR/unit

195.-

Item no. **xx-sc-plt**


EUR/unit

195.-



The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.

Polyamide connectors are black RAL9005. Prices are ex works and VAT.



Front Panel long

Front panels made of powder coated aluminum.

The panel covers a complete front of a G-Raxx or G-Flexx Mini, for the G-Flexx front 2 units are required.

Dimensions: W x H = 600 x 1,040 mm.

Color: White, RAL 9016

Color: Black, RAL 9005

Color: Custom according to RAL Classic

Color: Sheeting cover with digital imprint


Color: Plot sheet

Item no. xx-scl-wh	EUR/unit	210.-
Item no. xx-scl-bk	EUR/unit	210.-
Item no. xx-scl-sp	EUR/unit	225.-
Item no. xx-scl-dg	EUR/unit	255.-
Item no. xx-scl-plt	EUR/unit	255.-

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.

Polyamide connectors are black RAL9005. Prices are ex works and VAT.

Corner Parts



Corner Set

Set to build a 90° corner set-up, for G-Flexx and G-Raxx.

Consisting of:

- **Vertical corner rail**
made of powder coated aluminum, vertical corner connection to connect baseframes
W x D x H = 85 x 85 x 1070 mm
- **Corner cap**
cap made of powder coated aluminum,
Corner connection with integrated wing screws to connect 2 bartops
W x D x H = 253 x 253 x 92 mm
- **Corner worktop**
Work top made of 10 mm high pressure laminates (HPL)
W x D x H = 650 x 650 x 10 mm
- **Adapter tubes corner worktop**
Aluminium tubes, powder coated, is fitted underneath the corner worktop

Color: White, RAL 9016

Color: Black, RAL 9005

Color: Custom according to RAL Classic

Item no. **xx-cs-wh**

Item no. **xx-cs-bk**

Item no. **xx-cs-sp**

EUR/unit

EUR/unit

EUR/unit

615.-


615.-

665.-

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.

Polyamide connectors are black RAL9005. Prices are ex works and VAT.

Doors



Door with hinges and lock

For G-Flexx and G-Raxx, made of powder coated aluminum

Door connects to the baseframe

W x H = 597 x 824 mm

Color: White, RAL 9016

Color: Black, RAL 9005

Color: Custom according to RAL Classic

Item no. xx-hd-wh

EUR/unit

265.-

Item no. xx-hd-bk


EUR/unit

265.-

Item no. xx-hd-sp

EUR/unit

285.-



Sliding door set G-Raxx

For G-Raxx baseframes

Sliding door set consist of upper and lower rail and 2 sliding doors made of aluminum, powder coated. Set is connected to 2 G-Raxx baseframes and covers storage space up to 1,200 mm wide.

Doors can be locked with sliding door lock Item no. xx-sdl

Color: White, RAL 9016

Color: Black, RAL 9005

Color: Custom according to RAL Classic

Item no. rx-sd-wh

EUR/unit

495.-

Item no. rx-sd-bk


EUR/unit

495.-

Item no. rx-sd-sp

EUR/unit

540.-



Sliding door set G-Flexx

For G-Flexx baseframes

Sliding door set consist of upper and lower rail and 2 sliding doors made of aluminum, powder coated. Set is connected to 1 G-Flexx baseframe and covers storage space up to 1200 mm wide.

Doors can be locked with sliding door lock Item no. xx-sdl

Color: White, RAL 9016

Color: Black, RAL 9005

Color: Custom according to RAL Classic

Item no. fx-sd-wh

EUR/unit

510.-

Item no. fx-sd-bk

EUR/unit

510.-

Item no. fx-sd-sp

EUR/unit

550.-



Sliding door lock

Locks sliding door sets G-Raxx and G-Flexx (Item-no. fx-sd- and rx-sd-)

Item no. xx-sdl


EUR/unit

45.-

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.

Polyamide connectors are black RAL9005. Prices are ex works and VAT.


Utilities / Accessories



Bottle Display 1

Two Stairs bottle display in 1 mm stainless steel, to be used with our shelf rails or universal rails. Color: Stainless steel; W x D x H = 535 x 269 x 95 mm.

Item no. xx-zb1 EUR/unit 135,-



Quiver Board

The board is placed in the G-Flexx adapter or in the front frame adapters. Quivers are sold separate.

Ø 91 mm. Color: Stainless steel; W x D x H = 533 x 115 x 93 mm.

Item no. xx-zb4 EUR/unit 35,-




Quiver

Round quiver made of stainless steel. The quiver can hold different supplies.

Color: Stainless steel; height 135mm, Ø 120/85 mm.

Item no. xx-zb4.1 EUR/unit 8,70




hook in tray, small

stainless steel, with 1 bar mat 300x150.

The tray is mounted to the quiverboard providing a additional storage shelf between Bar top and work top.

Item no. xx-zb24 EUR/unit 45,-



hook in tray, large

stainless steel, with 2 bar mats 300x150.

The tray is mounted to the front frame of G-Flexx or G-Raxx.

The tray is providing a additional storage shelf between Bar top and work top.

Item no. xx-zb25 EUR/unit 65,-



Bar Top Tray

stainless steel, with 1 bar mat 300x150.


The tray is mounted to a G-Rack bar top by a clamp but also can be used on regular bar tops of different dimensions to enlarge the bar top.

The tray is providing a additional workshelf in good sight of the customer and in an advantageous ergonomic position.

Item no. xx-zb26 EUR/unit 155,-

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.


Polyamide connectors are black RAL9005. Prices are ex works and VAT.



Bar Top Extension

Made of powder coated aluminum with a stainless steel driplate.
600 x 100 mm, bar top extension can be fixed to the bartop.
Color: Stainless steel.

Item no. **xx-zb31** EUR/unit **205,-**



Extender tray

Made of powder coated aluminum, with 2 bar mats.
The tray is mounted to the G-Raxx base frame to create additional storage areas.
Color: White, RAL 9016
Color: Black, RAL 9005
Color: Custom according to RAL Classic


Item no. **xx-zb27-wh** EUR/unit **60,-**
Item no. **xx-zb27-bk** EUR/unit **60,-**
Item no. **xx-zb27-sp** EUR/unit **70,-**



Rack Slide Drawer

The drawer is made of stainless steel. The drawer rails are placed in the patented milling groove of G-Raxx, G-Flexx and the adapter sides for G-Raxx.
Full extension rack slide drawer, bearing load: 25 kg.
Color: Stainless steel.


Item no. **xx-zb5** EUR/unit **215,-**



Stainless steel Corner Rails

The corner rails are placed in the patented milling groove of G-Raxx, G-Flexx and the adapter sides for G-Raxx.
Can be used in combination with a shelf, bottle shelf, and glassware basket.
1 pair, color: Stainless steel; bearing load: 40 kg.


Item no. **xx-zb7** EUR/pair **39,-**



Shelves

Shelf made of stainless steel with 2 down trimmed cornered edges on 2 sides.
Can be used in a rack slide drawer (item no. xx-zb5) or on corner rails (item no. xx-zb7).


Item no. **xx-zb8** EUR/unit **39,-**



Shelves Set

Shelves set consisting of Corner rails (item no. xx-zb7) and shelves (item no. xx-zb8)

Item no. **xx-zb7.8** EUR/unit **75,-**



Speedrack 1

Speedrack made of stainless steel and holds 5-9 Bottles (depending on the Bottle diameter).
Can be hooked to the base frame, frontally or laterally.
Color: Stainless steel; W x D x H = 550 x 120 x 170 mm.

Item no. **xx-zb10** EUR/unit **125,-**











Cutting Board 1/2 GN

PE black, 1/2 Gastro norm size cutting board.
The cutting board is inserted into the 1/2 GN work top cut outs.


The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.
Polyamide connectors are black RAL9005. Prices are ex works and VAT.



		Item no. xx-zb11	EUR/unit	24.-
	<p>Cutting Board 1/2 GN PE black, 1/2 Gastro norm size cutting board, with hole; 8 cm diameter. The cutting board is inserted into the 1/2 GN openings in the work top or in the 1/2 GN container.</p>	Item no. xx-zb11.1	EUR/unit	33.-
	<p>Ice Box EPP made Box. Approx. 480 x 480 x 280 mm outer dimensions.</p>	Item no. xx-zb14	EUR/unit	76.-
	<p>Ice Box with Sliding Top Set Consisting of Ice Box (xx-zb14) and - Divider sheet for ice, stainless steel, 1 pcs. - Perforated dripping plate, stainless steel, 2 pcs. - Stainless steel rails, 4 pcs. - Sliding plates, acrylic glass with finger hole, 2 pcs.</p>	Item no. xx-zb14.2	EUR/set	205.-
	<p>Gastro Norm Sink 1/2 GN 1/2 GN sink; for insertion into the work top inserts. Stainless steel; W x D = 325 x 265 mm. With drainage and pillar tube.</p>	Item no. xx-zb16	EUR/unit	120.-
	<p>Blender Flusher 1/2 GN flat version 1/2 GN-Stainless Steel Spray Flusher with poly disk. Set includes drain board and water connection fitting. Flat version (housing) only 28 mm. Stainless steel; W x D = 325 x 265 mm.</p>	Item no. xx-zb16.1	EUR/unit	195.-
	<p>Drip Pan 1/2 GN flat version 1/2 GN-Stainless Steel Drain board. Set includes drain board rinse access. Flat version (housing) only 28 mm. Stainless steel; W x D = 325 x 265 mm.</p>	Item no. xx-zb16.2	EUR/unit	175.-
	<p>Bar Counter Tap Water tap, for connection to the insert blender flusher.</p>	Item no. xx-zb17	EUR/unit	85.-
	<p>1/2 GN insert blender flusher</p>	Item no. xx-zb18.1	EUR/unit	110.-

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.
Polyamide connectors are black RAL9005. Prices are ex works and VAT.





Water Station Full Set


Consisting of:

- Water pump, tap, water containers, hose set
- Gastro Norm sink ½ GN (xx-zb16)

When using the set in combination with the G-Flexx, we recommend the use of the eurobox with dolly (xx-zb32).

When using the set in combination with the G-Raxx, we recommend the use of the dolly platform base (rx-wb).

Item no. xx-zbws1-set EUR/set 890.-



Eurobox with dolly

With 4 swivel castors, Eurobox 600 x 400 mm

Item no. xx-zb32 EUR/unit 96.-




Work top light

Is mounted underneath the bartop and illuminates the worktop.

LED warmwhite 230V, 280 mm

Item no. xx-zb33 EUR/unit 85.-



LED Light Bar

Warm white, not dimmable.

Mounted under the bar top.

This lamp is lit on the front.

W = 335 mm

W = 900 mm

Item no. xx-zb23-600 EUR/unit 135.-

Item no. xx-zb23-900 EUR/unit 160.-



LED-RGB Light Bar

Mounted under the 600mm bar top, to light the front.

Includes power supply, controller and remote control.

W = 600 mm

W = 1,200 mm

W = 1,800 mm

Item no. xx-zb30-600 EUR/unit 240.-

Item no. xx-zb30-1200 EUR/unit 280.-

Item no. xx-zb30-1800 EUR/unit 330.-

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.

Polyamide connectors are black RAL9005. Prices are ex works and VAT.



GN-Container, stainless steel 1/1 (for Rack Slide Drawer in combination with 2/4 GN)

GN-Container 1/1 stainless steel, depth 20 mm

1/1 GN-Container, depth 20 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.1.20 EUR/unit 22.-

GN-Container 1/1 stainless steel, depth 65 mm

1/1 GN-Container, depth 65 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.1.65 EUR/unit 27.-

GN-Container 1/1 stainless steel, depth 100 mm

1/1 GN-Container, depth 100 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.1.100 EUR/unit 34.-

GN-Container 1/1 stainless steel, depth 150 mm

1/1 GN-Container, depth 150 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.1.150 EUR/unit 48.-

GN-Container 1/1 stainless steel, depth 200 mm

1/1 GN-Container, depth 200 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.1.200 EUR/unit 57.-



GN-Container, stainless steel 1/2

GN-Container 1/2 stainless steel, depth 20 mm

1/2 GN-Container, depth 20 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.2.20 EUR/unit 12.-

GN-Container 1/2 stainless steel, depth 65 mm

1/2 GN-Container, depth 65 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.2.65 EUR/unit 17.50

GN-Container 1/2 stainless steel, depth 100 mm

1/2 GN-Container, depth 100 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.2.100 EUR/unit 21.-

GN-Container 1/2 stainless steel, depth 150 mm

1/2 GN-Container, depth 150 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.2.150 EUR/unit 26.-

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.

Polyamide connectors are black RAL9005. Prices are ex works and VAT.

GN-Container 1/2 stainless steel, depth 200 mm

1/2 GN-Container, depth 200 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.2.200 EUR/unit 28.-



GN-Container, stainless steel 1/4

GN-Container 1/4 stainless steel, depth 20 mm

1/4 GN-Container, depth 20 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.4.20 EUR/unit 8.-

GN-Container 1/4 stainless steel, depth 65 mm

1/4 GN-Container, depth 65 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.4.65 EUR/unit 10.-

GN-Container 1/4 stainless steel, depth 100 mm

1/4 GN-Container, depth 100 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.4.100 EUR/unit 14.-

GN-Container 1/4 stainless steel, depth 150 mm

1/4 GN-Container, depth 150 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.4.150 EUR/unit 19.-

GN-Container 1/4 stainless steel, depth 200 mm

1/4 GN-Container, depth 200 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.4.200 EUR/unit 23.-



GN-Container, stainless steel 1/6

GN-Container 1/6 stainless steel, depth 65 mm

1/6 GN-Container, depth 65 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.6.65 EUR/unit 8.-

GN-Container 1/6 stainless steel, depth 100 mm

1/6 GN-Container, depth 100 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.6.100 EUR/unit 11.-

GN-Container 1/6 stainless steel, depth 150 mm

1/6 GN-Container, depth 150 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.6.150 EUR/unit 14.-

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.

Polyamide connectors are black RAL9005. Prices are ex works and VAT.

GN-Container 1/6 stainless steel, depth 200 mm

1/6 GN-Container, depth 200 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.6.200 EUR/unit 17.-



GN-Container, stainless steel 1/9

GN-Container 1/9 stainless steel, depth 65 mm

1/9 GN-Container, depth 65 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.9.65 EUR/unit 6.-

GN-Container 1/9 stainless steel, depth 100 mm

1/9 GN-Container, depth 100 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.9.100 EUR/unit 9.-

GN-Container 1/9 stainless steel, depth 150 mm

1/9 GN-Container, depth 150 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns1.9.150 EUR/unit 11.-



GN-Container, stainless steel 2/4

GN-Container 2/4 stainless steel, depth 40 mm

2/4 GN-Container, depth 40 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns2.4.40 EUR/unit 17.-

GN-Container 2/4 stainless steel, depth 65 mm

2/4 GN-Container, depth 65 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns2.4.65 EUR/unit 19.-

GN-Container 2/4 stainless steel, depth 100 mm

2/4 GN-Container, depth 100 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns2.4.100 EUR/unit 26.-

GN-Container 2/4 stainless steel, depth 150 mm

2/4 GN-Container, depth 150 mm, is placed in the suitable worktop cutout.

Item no. xx-zbgns2.4.150 EUR/unit 29.-

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.

Polyamide connectors are black RAL9005. Prices are ex works and VAT.

Transportation

Bag A

Bag for G-Flexx basic module without middle frame.

Item no. xx-bga EUR/unit 99.-

Bag C

Bag for shelves, rack slide drawer, work top 600/600/10 mm.

Item no. xx-bgc EUR/unit 99.-

Bag FA

Bag for side applications, bar top 1200 mm, head shield 1200 mm.

Item no. xx-bgfa EUR/unit 30.-

Bag FB

Bag for side-/front panels 860 x 600 mm.

Item no. xx-bgfb EUR/unit 30.-

Bag FBL

Bag for 2 x side-/front panels long version, front plate.

Item no. xx-bgfb1 EUR/unit 38.-

Bag FD

Bag with 2 compartments for vertical corner rail, 2 x side application 5, banner.

Item no. xx-bgfd EUR/unit 38.-

Bag FE

Bag with 2 compartments for 2 x side application 4, corner cap, back frame shelf 2, bottle shelf, frame elevated bottle shelf, bar top tray, bar top extension, frame cover.

Item no. xx-bgfe EUR/unit 38.-

Bag BFSA

Bag with 2 compartments for 2 x back frame applications.

Item no. xx-bgbfsa EUR/unit 38.-

Bag BFC

Bag with 2 compartments for up to 3 x back frames with cover.

Item no. xx-bgbfc EUR/unit 165.-

The standard color for G-Flexx and G-Raxx basic element is white, RAL 9016 and black, RAL 9005.

Polyamide connectors are black RAL9005. Prices are ex works and VAT.